

General Catalogue

A DEEP EXPERIENCE IN PROFESSIONAL REFRIGERATION AND SUPERIOR ITALIAN DESIGN



Desmon S.p.A was founded in 1994 by the family De Santis as a food equipment trading company. In 1998 the company has taken over a local manufacturing company and started production of refrigeration equipment. After a few successful years the company became one of the leaders in the European market of professional refrigeration.

The main production facilities with office, laboratories and warehouse are located in Nusco, a town at the center-south of Italy, 98km from Naples' port. The production of professional refrigeration equipment is concentrated in the main factories in Italy. Other factories are situated in India and China where products intended for local markets are manufactured. Besides production facilities Desmon group includes three distribution centers in France, UK and Germany. The research-and-development company "Smartfreeze" is also a part of Desmon.

Based upon deep experience in production of professional refrigeration the company has decided to diversify its traditional range and launch a new line, "Desmon Scientific", of products designed for professional medical, pharma and laboratory cold storage and deep freezing with working temperatures from -85° to +16°C.

The quality of our products is based upon continuous technological innovation and long experience in production of professional refrigeration. All models are designed and manufactured in accordance with ISO9001:2008 standard and CE safety regulations. Desmon factories in Italy are certified by ISO14001:2004



HEAVY-DUTY UPRIGHT CABINETS, UNDERCOUNTERS AND WALK-IN COLD ROOMS -40°C TO +16°C


“Desmon Scientific” proposes a wide range of professional refrigerators, freezers and walk-in cold rooms with operational temperatures from -40°C to +16°C for preservation pharmaceutical and diagnostic products, vaccines and sera, biological materials and conservations of industrial products. Main applications are in medical institutions and scientific research laboratories

We clearly understand that every laboratory is different and each customer is unique. That is why our variety of refrigerators and freezers is one of the widest in the market. Every customer can choose its ideal model. Products are divided into the following series:

- Upright cabinets “LAB Pro”: an interior of stainless steel, exterior is made of white powder coated steel, 100, 80 and 60mm insulation, volumes 100, 160, 200, 220, 300, 320, 600, 180+100, cooling unit traditional and tropicalized compressor. The working temperatures are -40°C, -30°C, -25°C, +4°C and +4/-25°C
- Upright cabinets “LAB Maxi”: an interior of stainless steel, exterior is made of stainless steel or white powder coated steel, 60mm insulation, volumes 700, 1400, 2100, 350+350 and 700+700l, “monoblock” cooling unit and tropicalized compressor. The working temperatures are -25°C, +4°C and +4/-25°C
- Upright cabinets “LAB Sani” series: an interior is made of steel with antibacterial properties and exterior of white powder coated steel, 50mm insulation, volumes 700 and 1400l, traditional cooling unit and non-tropicalized compressor. The working temperatures are -25°C, +4°C.
- Upright cabinets “LAB Mini” series: an interior of stainless steel, exterior white powder coated steel, 50mm insulation, 400l, traditional cooling unit and tropicalized compressor. The working temperatures are -25°C, +4°C.
- Under counter fridges and freezers: horizontal refrigerators and freezers with a work top made of stainless steel, interior and exterior are made of stainless steel, 60mm insulation, volumes 280l (2 doors), 441 (3 doors) and 602l (4 doors). ***It is an innovative solution for laboratories which allows to have a fridge (freezer) and work table in one unit!*** The working temperatures are -25°C, +4°C
- Walk-in cold rooms: internal volumes from 1.86 to 45.47cub.m., T range -10°C -25°C, +2°C +8°C and +2°C +16°C, panel thicknesses 80 and 100mm, panels are made of white powder coated steel as standard or stainless steel upon request, insulation of panels with high density polyurethane CFC/ HCFC free, more than 200 models available in total.



LAB Pro



LAB Maxi



LAB Sani
(wheels optional)



LAB Mini
(wheels optional)



DESMON
Scientific

TECHNICAL SPECIFICATION “LAB SANI”



Antibacterial
steel interior!

(wheels optional)



DS-BM7PR, DS-BB7PR



DS-BM14PR, DS-BB14PR

(wheels optional)

Upright cabinets with solid door

Model	DS-BM7PR	DS-BB7PR	DS-BM14PR	DS-BB14PR
Dimensions exterior WxDxH (mm)	700x800x2080	700x800x2080	1400x800x2080	1400x800x2080
Net capacity (L)	700	700	1400	1400
Dimensions interior WxDxH (mm)	600x665x1500	600x665x1500	1300x665x1500	1300x665x1500
Insulation (mm)	50	50	50	50
Temperature range (°C)	+2°+8° +2°+16° upon request	-10°-25°	+2°+8° +2°+16° upon request	-10°-25°
Temperature setting accuracy (°C)	0,1°C	0,1°C	0,1°C	0,1°C
Max. ambient temperature (°C)	32°	32°	32°	32°
Type of cooling unit	Traditional	Traditional	Traditional	Traditional
Power supply (V)	220V/240V	220V/240V	220V/240V	220V/240V
Frequency (Hz)	50Hz	50Hz	50Hz	50Hz
Power consumption (KW)	335	510	440	780
Weight (KG)	105	115	170	180
Shipping weight (KG)	120	130	190	200
Shipping dimensions WxDxH (mm)	790x860x2260	790x860x2260	1500x860x2260	1500x860x2260
No. of compressors.	1	1	1	1
Doors	1	1	2	2
Automatic (smart) defrost and evaporation	not	automatic defrost	not	automatic defrost
Castors	optional	optional	optional	optional
Chart recorder	optional	optional	optional	optional
Shelves (pcs)	3	3	6	6
Lighting	optional	optional	optional	optional
Lock	yes	yes	yes	yes
Interior material	Antibacterial white powder coated steel	Antibacterial white powder coated steel	Antibacterial white powder coated steel	Antibacterial white powder coated steel
Exterior material	white powder coated steel	white powder coated steel	white powder coated steel	white powder coated steel

GENERAL SALES CONDITIONS

1. ORDERS

ALL ORDERS ARE ACCEPTED AFTER OUR APPROVAL AND ARE SUBJECTED TO THE FOLLOWING GENERAL SALES CONDITIONS, FULLY ACCEPTED BY THE BUYER.

2. FORWARDING

THE DELIVERY DATES ARE NONBINDING AND CAN BE CHANGED BY THE SELLER, FOR EXTERNAL OR INTERNAL CAUSES.

EVENTUAL DELAY WILL NOT AUTHORISE THE CUSTOMER TO CLAIM, PRETEND COMPENSATION OR FOR RESCISSION AND MODIFICATION OF THE CONTRACT, EXCEPT IF COMPRISED IN ART. 1229 C.C. THE TRANSPORT OF THE GOODS IS AT CUSTOMER RISK, EVEN IF DELIVERED DIRECTLY TO THE USER AND THEY AREN'T ASSURED WITHOUT SPECIAL WISH OF THE CUSTOMER. THE DELIVERY IS CONSIDERED COMPLETED WITH THE LOADING OF THE GOODS, WHETHER CARRIED OUT BY THE CUSTOMER OR AN ASSIGNED CARRIER; THE SELLER DECLINES ANY RESPONSIBILITY FOR EVENTUAL DIFFERENCES, DEFORMITY OR DAMAGES INDIVIDUATED AFTER HANDING OVER THE GOODS AT THE FACTORY. ANY COMPLAINT RELATIVE TO QUANTITY, DEFECTS OR ANY OTHER REASON, MUST BE ANNOTATED ON THE CARRIAGE NOTE, OTHERWISE ANY CLAIMS WILL BE REJECTED. THE GOODS WILL BE PACKED NORMALLY, SPECIAL PACKING ON REQUEST WILL BE CHARGED.

3. PRICES

THE PRICES REFER TO THE LATEST FACTORY PRICELIST, EXCEPT FOR SPECIAL AGREEMENTS, AND MAY BE CHANGED AT ANY TIME. FOR THE ITEMS NOT INCLUDED IN THE PRICE LIST AND TO BE PRODUCE ON REQUEST (FOLLOWING USER'S DETAILED DRAWINGS AND TECHNICAL DESCRIPTION), WE'LL FORMULATE PRICES AND DELIVERY TIME IN FUNCTION OF THE QUANTITY REQUIRED. OUR PRICES ARE QUOTED EX WORKS OUR FACTORIES.

4. PAYMENT

ALL PAYMENTS MUST BE EFFECTED AT THE SELLER'S PLACE OF BUSINESS. ALL EXPENSES DUE TO EMISSION AND RETURNS OF BANK RECEIPTS WILL BE AT BUYER'S CHARGE. THE TERMS OF PAYMENT ARE ALWAYS BINDING. IN CASE OF DELAYED PAYMENT A RATE OF 7 PER CENT INTEREST WILL BE SURCHARGED, PLUS THE ACTUAL ECB INTEREST RATE OR THE RESPECTIVE CENTRAL BANKS IN CASE OF NON-EURO COUNTRIES. THE SELLER'S RIGHT TO COMPENSATION FOR BANK CHARGES, ADMINISTRATIVE OR LEGAL COSTS AND EVENTUAL THIRD PARTY COSTS REMAINS UNTOUCHED. IN CASE OF NON-FULFILMENT THE SELLER MAY TAKE ANY APPROPRIATE MEASURE TO OBTAIN COMPLETE PAYMENT, CANCELLING THE PAYMENT TERMS, AS FOR THE EFFECTS OF ART. 1186 C.C. AND ANNULING THE CONTRACT, STOPPING ITS PROSECUTION AND DELIVERY OF GOODS IN ORDER, ALSO RELATING TO OTHER CONTRACTS, WITHOUT ANY BUYER'S COMPENSATION FOR THE CANCELLED DELIVERY.

5. GUARANTEE

OUR GUARANTEE HAS A 24 MONTHS' VALIDITY FROM DELIVERY EX WORKS AND COVERS THE MERE REPLACEMENT OF PARTS, ELECTRIC PARTS NOT INCLUDED, AND AFFECTING ONLY CONSTRUCTING FAULTS, AS DESCRIBED IN THE LETTER OF GUARANTEE. ALL GUARANTEED PARTS WILL BE SENT BY CARRIAGE FORWARD. THEY WILL BE BILLED REGULARLY. AFTER RECEIVING THE DEFECTIVE PARTS A CREDIT NOTE WILL BE MADE OUT.

6. MODIFICATIONS OF TECHNICAL CHARACTERISTICS

DIMENSIONS AND ALL TECHNICAL DATA IN CATALOGUES, OFFERS, ORDER CONFIRMATIONS AND IN THIS PRICE LIST ARE PURELY INDICATIVE.

THEY ARE SUBJECTED TO MODIFICATION WITHOUT NOTICE, IMPROVING QUALITY AND FUNCTIONALITY.


7. RESERVE OF PROPRIETARY RIGHTS

THE SELLER PRESERVES ALL PROPRIETARY RIGHTS PENDING PAYMENT IN FULL.

8. VENUE JURISDICTION

COURT OF AVELLINO, ITALY.

THESE SALES CONDITIONS ANNUL ALL THE PRECEDENT ONES WITHOUT ANY EXCEPTION, NO MODIFICATION WILL BE ACCEPTED WITHOUT ANY WRITTEN CONFIRMATION BY THE SELLER.



DESMON
Scientific

www.desmonscientific.com

DESMON S.p.A.
Head Office:
Zona Ind. F3 Sup.
83051 Nusco (AV)

ITALIA

Tel.: +39 0827 607318
Fax: +39 0827 607009
E-mail: info@desmon.it
www.desmonscientific.com



Il costruttore si riserva il diritto di apportare modifiche senza preavviso - We reserve the right to change specifications without notice - Nous réservons le droit de modifier nos produits sans préavis - Technische Änderungen vorbehalten - El contructor se reserva la facultad de aportar cambios sin aviso previo - Doğal olarak, ürünlerde yapılacak olası teknolojik yenilikler ve değişiklikleri haber vermeksizin yapma hakkımızı saklı tutmaktayız - Мы оставляем за собой право вносить изменения в спецификацию без дополнительного уведомления